



EXCEPTIONAL[®] *Metals*



Standing Seam Metal Roofing

PRODUCT GUIDE



A Division of Duro-Last[®]
Roofing, Inc.

800-248-0280
www.exceptionalmetals.com

Standing Seam Roofing Systems

Duro-Last[®] Roofing, Inc., the leader in single-ply roofing systems, is pleased to offer standing seam panels, produced by EXCEPTIONAL[®] Metals.

With five profiles and more than 30 metal colors and finishes, Duro-Last's standing seam roofing options will enhance the appearance of any sloped roof design. Profiles are available for architectural, structural, and flush wall/soffit panel standing seam applications.

Depending on where your project is located, the roof panels will be produced at or near the job site, or at EXCEPTIONAL Metals' Saginaw, Michigan, facility. In either case, your standing seam panels will be made with the attention to detail and quality that our customers have come to expect from Duro-Last.

In addition to our standing seam roofing system, EXCEPTIONAL Metals manufactures high-quality metal components designed for use with any single-ply roof, including edge details, drainage systems, and vinyl-coated metal products.

Whether your facility needs both the Duro-Last single-ply membrane and metal roofing, or metal roofing alone, the Duro-Last standing seam roofing system will be ideal for your project.



Architectural standing seam panels are typically installed over solid substrates; structural panels are mechanically seamed and can span over open purlins. Contact EXCEPTIONAL Metals for more details.

Paint and Substrate Warranties

The following warranties are applicable, depending on the combination of the substrate metal your standing seam panels are made from and the finish that is applied:

- 35 Year Non Pro-rated Kynar® Paint Warranty with a 20 year Galvalume® Substrate Warranty
- 35 Year Non Pro-rated Kynar® Paint and 25 year Aluminum Substrate Warranty
- 25 Year Non Pro-rated Galvalume® Plus (Acrylic Coated Galvalume®) Warranty

See the back cover for additional color and warranty information.



Please contact your EXCEPTIONAL Metals representative when installing our products in salt environments. For our Galvalume warranty to be effective in salt environments or in proximity to bodies of salt water, the following criteria must be met:

- When the installation is near a coastline with surf, the distance from the coastline must be a minimum of 2,800 feet.
- When the installation is near a large bay, the distance from the bay shore must be a minimum of 1,200 feet.





EM 150SL

The 1-1/2" Snap Lock metal roofing system is designed to be installed quickly, reducing labor costs and offers the designer a concealed fastener and clip application that allows for expansion and contraction.





EM 150SS

The 1-1/2" traditional mechanically seamed metal roof system enhances the architectural appearance and is engineered to exceed most wind-load requirements in the country. The seamed profile allows the designer the ability to specify various applications. The concealed fasteners and patented articulating two piece floating 150 Mitchell Clip assist in minimizing the appearance of oil canning.





EM 175S

The 1-3/4" Snap Lock profile provides a continuous interlocking metal roof system. The system offers the designer a concealed fastener and clip application that allows for expansion and contraction. The Snap Lock metal roofing system can be installed quickly, reducing labor costs. This is a simple installation with extremely high design pressures. The EM 175S metal roof system is available in steel or aluminum.










EM 200S

The 2" mechanically seamed metal roof system enhances the architectural appearance and is engineered to exceed most wind load requirements in the country. The versatility of this profile's engineering allows the designer the ability to specify from low to steep slope applications. The concealed fasteners and patented articulating two piece floating 200 Mitchell Clip assist in minimizing the appearance of oil canning.








Color Chart

Standard

					
Sandstone SR.54/TE.87	Solar White SR.67/TE.87	* Stone White SR.66/TE.87	Regal White SR.70/TE.87	Terra Cotta SR.40/TE.87	Regal Red † SR.38/TE.87
					
Colonial Red SR.26/TE.87	Burgundy SR.28/TE.87	Pacific Blue SR.26/TE.87	Regal Blue SR.26/TE.87	Slate Blue SR.35/TE.87	Aged Copper SR.41/TE.87
					
Sea Green SR.32/TE.87	Patina Green SR.29/TE.87	Hemlock Green SR.34/TE.87	Evergreen SR.28/TE.87	Teal SR.28/TE.87	Hartford Green SR.25/TE.87
					
Charcoal Gray SR.25/TE.87	Slate Gray SR.41/TE.87	Dove Gray SR.38/TE.87	Island Blue SR.35/TE.87	Surrey Beige SR.41/TE.87	* Sierra Tan SR.37/TE.87
					
Buckskin SR.25/TE.87	* Medium Bronze SR.32/TE.87	* Dark Bronze SR.26/TE.87	Mansard Brown SR.27/TE.87	Matte Black SR.26/TE.87	Galvalume Plus SR.68/TE.10

Mill Finish

Premium


Silver Metallic ♦ SR.54/TE.87

Pre-weathered Galvalume ♦ SR.27/TE.87

Champagne Metallic ♦ SR.41/TE.87

Copper Metallic ♦ SR.37/TE.87

Antique Patina ♦ SR.27/TE.87

Colors shown are matched as accurately as possible, but may vary slightly from finished product.

* Gravel stop covers, 2-piece compression metal and fascia bar covers ordered in these finishes are available within five business days. Products ordered in all other finishes may require additional fabrication time.

♦ Available at additional cost.

† Available with 20-year Non-Prorated Limited Warranty.

Specially ordered products will be filled as quickly as possible and shipped separately. Call for quotes.

Other finishes are available, including 16-ounce copper, zinc, stainless steel and bonderized metal.

Contact Duro-Last for information.

Our Metal Products Are Environmentally-Friendly.



EXCEPTIONAL Metals products contain recycled materials and are also recyclable at the end of their useful life. Our metal product materials use infra-red reflective pigments and meet EPA ENERGY STAR® Roof Products Program performance criteria for steep slope (slope greater than 2:12 inches) roofing applications.



800-248-0280
www.exceptionalmetals.com

"Duro-Last", the "World's Best Roof", and "EXCEPTIONAL Metals" are registered marks owned by Duro-Last Roofing, Inc. Standing Seam Metal Product Guide 2/11 - M#EM09-0002